




waterstar



LINER POOL FITTINGS CATALOGUE




LINER POOL FITTINGS

WALL INLET



PRODUCT FEATURES




- Made of plastic resistant to pool chemicals and UV rays with directional flow ball
- Included a back nut, 2 gaskets and face plate which hides the fixing stainless steel screws
- Inside diameter 50 mm (glue)
- Max flow rate 5 m³/h
- Custom colors available upon request



HYDRO STORM VACUUM POINT

PRODUCT FEATURES

- Made of plastic resistant to pool chemicals and UV rays
- Used for pool periodic maintenance and cleaning
- Cover is to be removed to connect vacuum hose
- Included a back nut, 2 gaskets and face plate which hides the fixing stainless steel screws
- Inside diameter 50 mm (glue)




FLOOR INLET



PRODUCT FEATURES


- Adjustable different flows
- Supplied with stainless steel screws, 2 gaskets and flange
- Inside diameter 50 mm (glue)
- Max flow rate 8 m3/h



MAIN DRAIN

PRODUCT FEATURES

- Made of white ABS plastic material with UV protection
- Designed for concrete and liner pools
- The grill diameter in 250mm
- Lateral outlets 2 inches
- Supplied with stainless steel screws, 2 gaskets and flanges (for liner pools)
- Used to draw the base water for filtering and emptying pool
- Max flow rate 15 m3/h





Contact Us

SALES@WATERSTAR.COM.EG
+20228605433

PLOT 15, FIFTH DISTRICT, BADR CITY